

ILLINOIS HIGHWAY INFORMATION SYSTEM

ROADWAY INFORMATION AND PROCEDURE MANUAL

ITEM NAME ROUTE STATION					ITEM NO. 7
					PAGE 1 of 3
ENTERED BY	STATE	NON-STATE	HPMS	MUNI	EFFECTIVE DATE
District Program Development or Div of Traf Saf	YES	YES	YES	YES	11/01/00
UPDATE REPORTS	UPDATE SCREENS				INQUIRY SCREENS
(26) Key Route Alignment	(22) Gap Information (16) Key Route Alignment				All

DESCRIPTION AND PURPOSE OF ITEM

This item indicates the location, measured to the nearest 0.01 mile from the beginning of a route, where a change in reported information occurs.

This information is used to relate changes in data along a specific highway alignment.

This item can be obtained from construction plans or, if plans are unavailable, field measurement. If in question, contact the district Bureau of Program Development.

Note: The Key Route Stationing is recorded on IRIS and transferred, by computer, to ISIS Key Route Station (Item 1G), and IRRIS Key Route Station (Item KRIT7) and Marked Route Station (Item MRIT7).

CODE AND SCREEN ENTRY INSTRUCTIONS

A 5-digit, 2-position decimal number.

Note: This data is stored in the computer as a 6-digit, 3-position decimal number but is entered and displayed as a 5-digit, 2-position decimal number.

Begin and end stations for all types of routes are located at the intersection of centerlines of intersecting routes.

Ramp begin and end stations are located at the intersection of the projected ramp line with the edge of pavement of the intersecting mainline, collector distributor or other appurtenance type.

Types of Routes:

Key Routes are stationed, within county, from NORTH to SOUTH or WEST to EAST - except for odd-numbered interstates, which are stationed south to north.

Marked Routes are stationed, continuously along the entire route, from SOUTH to NORTH or WEST to EAST.

ILLINOIS HIGHWAY INFORMATION SYSTEM

ROADWAY INFORMATION AND PROCEDURE MANUAL

ITEM NAME ROUTE STATION

ITEM NO. 7

PAGE 2 of 3

Traffic Safety Interstate Marked Routes are stationed, by milepost marker, from SOUTH to NORTH or WEST to EAST.

Traffic Safety U.S. and Illinois Marked Routes are stationed continuously from SOUTH to NORTH or WEST to EAST.

Traffic Safety Unmarked Routes are stationed, within county, from SOUTH to NORTH or WEST to EAST.

Enter the appropriate value to hundredths of a mile, filling leading spaces with zeros.

Enter the decimal.

Example

Route Station

000.00

0.00

000.31

0.31

014.87

14.87

ILLINOIS HIGHWAY INFORMATION SYSTEM

ROADWAY INFORMATION AND PROCEDURE MANUAL

ITEM NAME ROUTE STATION

ITEM NO. 7

PAGE 3 of 3

Route Termini and Ramp Identification Examples

